

PULGIALD VERIFIED

CENTRAL INTELLIGENCE AGENCY

PHOTOGRAPHIC INTELLIGENCE REPORT

CIA/PIR-1004/63 May 1963

## NEAR JUNG-YANG, CHINA MINICARD COPY



15-6-63 EH

**Declassification Review by NIMA/DOD 3/9/00** 

Published and Disseminated by

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

NO FOREIGN DISSEM

GROUP I Encluded from automatic

## ALUMINA AND ALUMINUM PLANT NEAR JUNG-YANG, CHINA

An alumina and aluminum plant near Jungyang, China, was observed on photography of
The plant is located six nautical
miles west-northwest of Jung-yang at 34-49N
113-15E. It is served by a spur of the rail
line between Cheng-hsien and Lo-yang (Figure
1). The plant occupies a total ground area
of approximately 300 acres (Figures 2 and 3).

25X1D

At the time of photography the plant was not in operation and some sections of the plant were not completed. Smoke, fumes, or dust, normally associated with the alumina-aluminum industry, were not visible. The absence of construction equipment and activity within the plant area indicates that construction has apparently stopped.

Photographic interpretation reveals that the plant when finished will be completely integrated, i.e., the installation will comprise facilities for the production of alumina and the production and fabrication of aluminum (Figure 2 and Table 1). However, essential components of certain facilities are under construction or missing. In the alumina section (Section B) the caustic recovery building (Item 16) is not completed and about half the number of precipitators (Items 17 and 18) are not in place. Vertical supports (adjacent to Items 6 and 22) have been constructed for two additional rotary kilns in this section. The small quantity of red mud in the basins (Item 1) indicates that the alumina section has facilities adequate at least for a trial run.

In the aluminum reduction section (Section C) two potrooms (Item 26), each measuring 1,180 by 80 feet, have been constructed; the

size and position of the rectifier building (Item 28) indicates that construction of two more porrooms is planned. The transformer yard, usually located near the rectifier building, is not installed. The absence of an associated electric power plant suggests that electric power will be provided by the local power net.




FIGURE 1. LOCATION OF ALUMINA AND ALUMINUM PLANT
NEAR JUNG-YANG, CHINA.

One production building is under construction in the rolling mill and fabrication section (Section E). Bauxite, other raw materials, and fuel are stored in the open in the plant area.

The presence of a lime-soda-sinter section (Section I) is an indication that the bauxite to be processed at this plant will have a high silica content. The presence of red mud basins, numerous precipitation tanks, and rotary kilns indicate that the Bayer process will be used at the plant for the production of alumina.




FIGURE 2. LAYOUT OF ALUMINA AND ALUMINUM PLANT.

Item	Description	Dimensions (ft)	Area (roof cover) of Pro- duction Buildings (sq ft)
A Shops and Maintenance Section			
B Alumina Sect			
. 1	Red mud basins (3)	250 x 135	
		900 x 135	. <del></del>
*		715 x 150	
2	Building u/c	113 X 130	
3	Open storage		
. 4	Building u/c		
ŝ	Crushing building	405	,
	Daving Building	105 x 55	5,775
Ü	Drying kiln	300 (length)	
~	<b>5</b>	15 (diameter)	
4	Dust catchers		· ••
ĕ	Covered slurry tanks (24)	20 (diameter)	
9	Causticizing building	20 x 20	400
10	Soda ash silos (2)	20 (diameter)	400

_	Item	Table 1 (Contin	Dimensions (ft)	Area (roof cover) of Pro- duction Buildings (sq ft)
			275 x 120	33,000
	11 12	Digestion building Concentrated caustic soda tanks	30 (diameter)	
	13	Thickeners (7) Thickeners (5)	40 (diameter) 50 (diameter)	
-	14	Filter building	415 x 50	20,750
1	15	Caustic recovery building	180 × 110	19,800
	16	Caustic recovery building u/c	210 x 110 25 (diameter)	23,100
	17	Precipitators	25 (diameter)	**
_	18		50 (diameter)	
	19	Thickeners (2)	140 x 85;	27,500
	20	Filter building	2 sections each	21,000
VAD	۰	_	130 × 60	<u> </u>
X1D -	21	Dilute caustic soda	50 (diameter)	<del></del>
	21	Dilute caustic soda tanks (2)		<b>⊗</b> * •
	22	Calcining kilns (2)	240 (length)	
		. , ,		• •
	23	Pneumatic tube or conveyer		
-	24	MO cellaneous buildings (2)	. <del></del>	
-	25	Building u/c		180,325
	<del>-</del> -	-		100,020
	C Aluminum Redu	ection Section		
		Potrooms (2)	1,180 × 80	188,800
-		Alumina silo	25 (diameter)	
	28	Rectifier building	750 x 75	56,250
	29	Bus bars		45.000
	30	Carbon rodding and/or	1,000 × 45	45,000
		casting building		
-	31	Area for two additional		
		potrooms	•	290,050
		•		200,000
	D Steam Plant	•	**	01.105
	32	Fuel warehouse	325_x 65	21,125
-	33	Boilerhouse	Irregular shape	27,500
	34	Water reservoirs (2)	140 ~ 20	4,200
	35	Pumphouse	140 x 30	
	36	Cooling towers (6)		52,825
				52,625
	E Rolling Mill an	d Fabrication Section		
	2	Production buildings (9)		214,700
		I toracaon parames (v)	*	•
	F Carbon Electro	ode Section		
	37	Coke storage		,
	37	Carbon paste and electrode building	Irregular shape	27,450
	38	Probable pitch storage		· <del></del> <u>-</u>
	40	Electrode furnace buildings (2)	475 × 45	42,750
	41	Unidentified building	300 × 55	16,500
	**			86,700
				50,100
	C Water Treatmen	nt and Storage Section		
	42	Basins for water treatment		<del></del>
		and storage (3)	•	
	H Gas Plant		•	
	** *	G .11:1-		·
	43	Coal or coke pile	125 x 70	14,750
	44	Gas production building	125 x 10 120 x 50	
	48	Compressor building	200 x 30	6,000
	45	Compressor banding	200 00	20,750
				20,100
	I Lime-Soda-Sint	er Section		
	1 Dimo Doda-Bino			66,125
				00,120
		Numerous processing		
		buildings Total		861,475



FIGURE 3. ALUMINA AND ALUMINUM PLANT

25X1D

## REFERENCES

## PHOTOGRAPHY

25X1C

MAPS OR CHARTS

Air, 15th RTS. US Air Target Chart, Series 200, Sheet 0385-9A, 1st ed, Nov 59, scale 1:200,000 (SECRET)

 $^{\circ}$ REQUIREMENT

CIA. RR/260/62

PROJECT

C-1003. 62